

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"M.sub.F2/M.sub.F1=1"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 11:52
L2	0	"M.sub.F2/M.sub.F1=1"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 11:52
L3	1	"M.sub.F2/M.sub.F1"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 11:53
L4	0	"M.sub.\$/M.sub.\$"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 11:53
L5	13	((magnetic near5 moment) near8 ratio) same ((equals) and (1 or one))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 11:54
L6	2	((magnetic near3 moment\$) near8 ratio) and (((coupling near3 energy) or (coupl\$ near3 energy)) same (exchange near3 energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 12:41
L7	2	(Li.in. or Zheng.in. or Liao.in. or Ju.in.) and synthetic near10 (((coupling or pinning) near3 energy) or ((coupl\$ or pinn\$) near3 energy) or ((coupl\$ or pinn\$) same energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 13:35
L8	8	(("6324037") or ("6222707") or ("6322640") or ("6118624")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/07/22 13:01
L9	443	29/603.14.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 13:02
L10	371	29/603.15.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 13:02

L11	5	29/603.14.ccls. and ((coupling adj2 energy) or (coupl\$ adj2 energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 13:20
L12	2	29/603.15.ccls. and ((coupling adj2 energy) or (coupl\$ adj2 energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 13:20
L13	4	((magnetic near5 moment\$) near8 ratio) and (((coupling or pinning) near3 energy) or ((coupl\$ or pinn\$) near3 energy) or ((coupl\$ or pinn\$) same energy)) same (exchange near3 energy)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 13:55
L14	158	((magnetic near5 moment\$) near8 ratio) and (((coupling or pinning) near3 energy or strength) or ((coupl\$ or pinn\$) near3 energy or strength) or ((coupl\$ or pinn\$) same energy or strength)) same (exchange near3 energy or strength)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 13:05
L15	6667	(Li.in. or Zheng.in. or Liao.in. or Ju.in.) and (((coupling or pinning) near3 energy or strength) or ((coupl\$ or pinn\$) near3 energy or strength) or ((coupl\$ or pinn\$) same energy or strength))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 13:38
L16	6015	(Li.in. or Zheng.in. or Liao.in. or Ju.in.) and (((coupling or pinning) near3 energy or strength) or ((coupl\$ or pinn\$) near3 energy or strength) or ((coupl\$ or pinn\$) same energy or strength)) same (exchange near5 energy or strength)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 13:39
L17	101	(Li-Min.in. or Zheng-You-Feng.in. or Liao-Simon.in. or Ju-Kochan.in.) and (((coupling or pinning) near3 energy or strength) or ((coupl\$ or pinn\$) near3 energy or strength) or ((coupl\$ or pinn\$) same energy or strength)) same (exchange near5 energy or strength)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 13:40
L18	6	("5583725" "6222707" "6295186" "6313973" "6322640" "6324037").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/22 13:54
L19	354	360/324.1.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/22 13:54
L20	420	360/324.11.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/22 13:55
L21	531	360/324.12.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/22 13:55

L22	3	13 and (19 or 20 or 21)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 13:55
L23	3	13 and (19 or 20 or 21)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 13:55
L24	12	("5159513" "5206590" "5408377" "5465185" "5528440" "5701223" "5729410" "5766743" "5871622" "5891586" "6023395" "6057049").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/22 13:56
S1	1	29/603.07.ccls. and ((coupling adj2 energy) or (coupl\$ adj2 energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 13:02
S2	18	360/324.12.ccls. and ((coupling adj2 energy) or (coupl\$ adj2 energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/12 09:45
S3	10	("6122150" "6175476" "6201671" "6208491" "6208492" "6317297" "6338899" "6418048" "6447935" "6522507").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/07/11 13:01
S4	68	360/324\$.ccls. and ((coupling adj2 energy) or (coupl\$ adj2 energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/12 10:11
S5	68	360/324\$.ccls. and ((coupling adj2 energy) or (coupl\$ adj2 energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/12 10:50
S6	0	"M.sub.F2/M.sub.F1=(J.sub.s- +J.sub.ex)/J. sub.s"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/12 10:13
S9	1	"M.sub.F2/M.sub.F1"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/12 10:12
S10	0	"(J.sub.s- +J.sub.ex)/J.sub.s"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/12 10:13

S11	0	"(J.sub.s+J.sub.ex)/J.sub.s"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/12 10:18
S12	1	"(J.sub.s+J.sub.ex)"	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/12 10:18
S13	145	"360"/\$.ccls. and ((coupling adj2 energy) or (coupl\$ adj2 energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/12 10:46
S14	1	S13 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/12 10:46
S15	150	"29"/\$.ccls. and ((coupling adj2 energy) or (coupl\$ adj2 energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/12 10:46
S16	1	S9 and S15	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/12 10:50
S17	37	((magnetic adj2 moment) same ratio) and ((coupling adj2 energy) or (coupl\$ adj2 energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/12 10:53
S18	7	((magnetic adj2 moment) near6 ratio) and ((coupling adj2 energy) or (coupl\$ adj2 energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/12 12:55
S19	7	((magnetic adj2 moment) near8 ratio) and ((coupling adj2 energy) or (coupl\$ adj2 energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/12 12:55
S20	10	((magnetic adj2 moment) near8 ratio) and ((coupling near3 energy) or (coupl\$ near3 energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 12:39
S21	46	((magnetic near5 moment) near8 ratio) and ((coupling near3 energy) or (coupl\$ near3 energy) or (coupl\$ same energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/14 12:56

S22	49	((magnetic near5 moment) near8 ratio) and (((coupling or pinning) near3 energy) or ((coupl\$ or pinn\$) near3 energy) or ((coupl\$ or pinn\$) same energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 13:03
S23	565	synthetic same (((coupling or pinning) near3 energy) or ((coupl\$ or pinn\$) near3 energy) or ((coupl\$ or pinn\$) same energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/14 12:58
S24	23	synthetic near6 (((coupling or pinning) near3 energy) or ((coupl\$ or pinn\$) near3 energy) or ((coupl\$ or pinn\$) same energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/14 13:01
S25	31	synthetic near10 (((coupling or pinning) near3 energy) or ((coupl\$ or pinn\$) near3 energy) or ((coupl\$ or pinn\$) same energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 11:55
S26	62	Li-Min.in. and synthetic	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/14 13:05
S27	2	Li.in. and synthetic near10 (((coupling or pinning) near3 energy) or ((coupl\$ or pinn\$) near3 energy) or ((coupl\$ or pinn\$) same energy))	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/07/22 12:42



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(magnetic moment ratio<in>metadata) <and> (energy<in>metadata)"

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail printer friendly

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search.

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(magnetic moment <in>metadata) <and> (ratio<in>metadata)"

Your search matched 41 of 1194402 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail
 printer friendly

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(magnetic moment <in>metadata) <and> (ratio<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information

1-25 | [26-41](#)

- ☐ 1. **Interlayer interaction in giant magnetoresistive multilayers**
Doherty, S.A.; Jian-Gang Zhu;
Magnetics, IEEE Transactions on
Volume 33, Issue 5, Part 2, Sept. 1997 Page(s):3694 - 3696
Digital Object Identifier 10.1109/20.619541
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(332 KB) IEEE JNL
- ☐ 2. **Measurement of magnetic moment of magnetite-laced microspheres**
Baccay, R.; Hua Fu; Frielaender, F.; Anand, P.; Duschl-Maass, M.;
Magnetics, IEEE Transactions on
Volume 22, Issue 5, Sep 1986 Page(s):1119 - 1121
[AbstractPlus](#) | Full Text: [PDF](#)(952 KB) IEEE JNL
- ☐ 3. **/sup 87/Rb and /sup 133/Cs laser cooled clocks: testing the stability of fundamental constants**
Pereira Dos Santos, F.; Marion, H.; Abgrall, M.; Zhang, S.; Sortais, Y.; Bize, S.; Maksimovic, I.; Calónico, D.; Grunert, J.; Mandache, C.; Vian, C.; Rosenbuch, P.; Lemonde, P.; Santarelli, G.; Laurent, P.; Clairon, A.; Salomon, C.;
Frequency Control Symposium and PDA Exhibition Jointly with the 17th European Frequency and Time Forum, 2003. Proceedings of the 2003 IEEE International
4-8 May 2003 Page(s):55 - 67
Digital Object Identifier 10.1109/FREQ.2003.1274986
[AbstractPlus](#) | Full Text: [PDF](#)(735 KB) IEEE CNF
- ☐ 4. **Progress towards a precision measurement of the helion magnetic moment in Bohr magnetons**
Flowers, J.L.; Cleaton, N.J.; Josephs-Franks, P.W.; Petley, B.W.;
Precision Electromagnetic Measurements Digest, 1998 Conference on
6-10 July 1998 Page(s):623 - 624
Digital Object Identifier 10.1109/CPEM.1998.700111
[AbstractPlus](#) | Full Text: [PDF](#)(104 KB) IEEE CNF
- ☐ 5. **Thermal stability of sputtered GdDyFeCo films with trilayer structure**
Uchihara, Y.; Tanase, K.; Suzuki, Y.; Torazawa, K.;
Magnetics, IEEE Transactions on
Volume 30, Issue 6, Part 1-2, Nov 1994 Page(s):4428 - 4430
Digital Object Identifier 10.1109/20.334109
[AbstractPlus](#) | Full Text: [PDF](#)(248 KB) IEEE JNL
- ☐ 6. **Current-perpendicular spin valves with partially oxidized magnetic layers for ultrahigh-density magnetic recording**

Oshima, H.; Nagasaka, K.; Seyama, Y.; Jogo, A.; Shimizu, Y.; Tanaka, A.; Miura, Y.;
Magnetics, IEEE Transactions on
Volume 39, Issue 5, Part 2, Sept. 2003 Page(s):2377 - 2380
Digital Object Identifier 10.1109/TMAG.2003.815455

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(288 KB\)](#) IEEE JNL

- ☐ 7. **A precise microwave spectroscopy measurement of the muonium ground state: hyperfine structure interval and muon magnetic moment**
Boshier, M.G.; Dhawan, S.; van Dyck, O.; Egan, P.; Fei, X.; Perdekamp, M.G.; Hughes, V.W.; Janousch, M.; Jungmann, K.; Kawall, D.; Liu, W.; Mariam, F.G.; Pillai, C.; Prigl, R.; Putlitz, G.zu.; Reinhard, I.; Schwarz, W.; Thompson, P.A.; Woodle, K.A.;
Precision Electromagnetic Measurements Digest, 1998 Conference on
6-10 July 1998 Page(s):4 - 5
Digital Object Identifier 10.1109/CPEM.1998.699729
[AbstractPlus](#) | Full Text: [PDF\(140 KB\)](#) IEEE CNF

- ☐ 8. **A precise microwave spectroscopy measurement on the muonium ground state: hyperfine structure interval and muon magnetic moment**
Boshier, M.G.; Dhawan, S.; Egan, P.; Fei, X.; Hughes, V.W.; Janousch, M.; Jungmann, K.; Liu, W.; Mariam, F.;
Precision Electromagnetic Measurements Digest, 1996 Conference on
17-21 June 1996 Page(s):176 - 177
Digital Object Identifier 10.1109/CPEM.1996.546759
[AbstractPlus](#) | Full Text: [PDF\(120 KB\)](#) IEEE CNF

- ☐ 9. **Analytical & Numerical Modelings of Elliptical Superconducting Filament Magnetization**
Satiramatekul, T.; Bouillault, F.; Devred, A.; Bottura, L.;
Applied Superconductivity, IEEE Transactions on
Volume 15, Issue 2, Part 3, June 2005 Page(s):3680 - 3683
Digital Object Identifier 10.1109/TASC.2005.849391
[AbstractPlus](#) | Full Text: [PDF\(248 KB\)](#) IEEE JNL

- ☐ 10. **Grain size limits for pseudosingle domain behavior in magnetite: Implications for paleomagnetism**
Moskowitz, B.; Banerjee, S.;
Magnetics, IEEE Transactions on
Volume 15, Issue 5, Sep 1979 Page(s):1241 - 1246
[AbstractPlus](#) | Full Text: [PDF\(640 KB\)](#) IEEE JNL

- ☐ 11. **Magnetic and Mössbauer investigation of amorphous (FexNi1-x)80B20 alloys**
Sostarich, M.; Dey, S.; Deppe, P.; Rosenberg, M.; Cjzek, G.; Oestreich, V.; Schmidt, H.; Luborsky, F.;
Magnetics, IEEE Transactions on
Volume 17, Issue 6, Nov 1981 Page(s):2612 - 2614
[AbstractPlus](#) | Full Text: [PDF\(344 KB\)](#) IEEE JNL

- ☐ 12. **The Curie temperature and magnetization of Fe-base amorphous binary alloys containing transition metal**
Fukamichi, K.; Gambino, R.;
Magnetics, IEEE Transactions on
Volume 17, Issue 6, Nov 1981 Page(s):3059 - 3061
[AbstractPlus](#) | Full Text: [PDF\(320 KB\)](#) IEEE JNL

- ☐ 13. **The magnetic moment of CrO2 fine particles**
Panuwattanawong, P.; Meiklejohn, W.; Kryder, M.;
Magnetics, IEEE Transactions on
Volume 23, Issue 1, Jan 1987 Page(s):45 - 47
[AbstractPlus](#) | Full Text: [PDF\(344 KB\)](#) IEEE JNL

- ☐ 14. **Surface and near-surface chemical analysis of cobalt-treated iron oxide**
Witherell, F.;
Magnetics, IEEE Transactions on

Volume 20, Issue 5, Sep 1984 Page(s):739 - 741

[AbstractPlus](#) | Full Text: [PDF\(384 KB\)](#) IEEE JNL

- ☐ **15. Magnetic properties of iron-boron-oxide and iron-phosphor-oxide glasses prepared by sol-gel method**
Yamaguchi, K.; Fujii, T.; Kuranouchi, S.; Yamanobe, Y.; Ueno, A.;
Magnetics, IEEE Transactions on
Volume 25, Issue 5, Sep 1989 Page(s):3321 - 3323
Digital Object Identifier 10.1109/20.42290
[AbstractPlus](#) | Full Text: [PDF\(244 KB\)](#) IEEE JNL

- ☐ **16. Influence of particle shape on forces in magnetic separators**
Lileg, K.; Schnizer, B.;
Magnetics, IEEE Transactions on
Volume 25, Issue 5, Sep 1989 Page(s):4292 - 4297
Digital Object Identifier 10.1109/20.42595
[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE JNL

- ☐ **17. Anisotropic magnetoresistance and Hall effects for Ni-Fe-M alloy thin films**
Tanaka, T.; Kobayashi, I.; Takahashi, M.; Wakiyama, T.;
Magnetics, IEEE Transactions on
Volume 26, Issue 5, Sep 1990 Page(s):2418 - 2420
Digital Object Identifier 10.1109/20.104750
[AbstractPlus](#) | Full Text: [PDF\(236 KB\)](#) IEEE JNL

- ☐ **18. Thermomagnetic properties of ferrofluids containing chemically coprecipitated Mn-Zn ferrite particles**
Blums, E.; Maiorov, M.M.; Kronkalns, G.;
Magnetics, IEEE Transactions on
Volume 29, Issue 6, Part 2, Nov 1993 Page(s):3267 - 3269
Digital Object Identifier 10.1109/20.281158
[AbstractPlus](#) | Full Text: [PDF\(244 KB\)](#) IEEE JNL

- ☐ **19. Magneto-chemical characteristics of copper-cobalt catalysts**
Murty, A.N.; Donatto, U.A.; Washington, J.W.; Hoard, T.L.; Akundi, M.A.; Harris, C.;
Magnetics, IEEE Transactions on
Volume 30, Issue 6, Part 1-2, Nov 1994 Page(s):4722 - 4724
Digital Object Identifier 10.1109/20.334201
[AbstractPlus](#) | Full Text: [PDF\(264 KB\)](#) IEEE JNL

- ☐ **20. Magnetic properties of Fe/Zr multilayers**
Dubowik, J.; Stobiecki, F.; Szymanski, B.;
Magnetics, IEEE Transactions on
Volume 30, Issue 2, Part 1-2, Mar 1994 Page(s):746 - 748
Digital Object Identifier 10.1109/20.312395
[AbstractPlus](#) | Full Text: [PDF\(224 KB\)](#) IEEE JNL

- ☐ **21. High moment FeCoNi alloy thin films fabricated by pulsed-current electrodeposition**
Liu, X.; Zangari, G.;
Magnetics, IEEE Transactions on
Volume 37, Issue 4, Part 1, July 2001 Page(s):1764 - 1766
Digital Object Identifier 10.1109/20.950961
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(72 KB\)](#) IEEE JNL

- ☐ **22. Magnetic force microscopy characterization of unusual magnetic coupling in an extraordinarily responsive magnetic material**
Leib, J.S.; Lo, C.C.H.; Snyder, J.E.; Jiles, D.C.; Pecharsky, V.K.; Schlagel, D.S.; Lograsso, T.A.;
Magnetics, IEEE Transactions on
Volume 38, Issue 5, Part 1, Sept. 2002 Page(s):2447 - 2449
Digital Object Identifier 10.1109/TMAG.2002.803587
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(207 KB\)](#) IEEE JNL

- ☐ **23. Understanding the origin of the magnetic anisotropy in iron silicide amorphous alloys**
Diaz, J.; Valvidares, S.M.; Hamdan, N.; Jalil, P.; Hussain, Z.;
Magnetics Conference, 2002. INTERMAG Europe 2002. Digest of Technical Papers. 2002 IEEE International
28 April-2 May 2002 Page(s):AS2
Digital Object Identifier 10.1109/INTMAG.2002.1000719
[AbstractPlus](#) | Full Text: [PDF](#)(218 KB) IEEE CNF
- ☐ **24. On measurement of energy transfer from exploding plasma to magnetic field**
Nikitin, S.A.; Ponomarenko, A.G.;
Plasma Science, 1995. IEEE Conference Record - Abstracts., 1995 IEEE International Conference on
5-8 June 1995 Page(s):172
Digital Object Identifier 10.1109/PLASMA.1995.531645
[AbstractPlus](#) | Full Text: [PDF](#)(92 KB) IEEE CNF
- ☐ **25. Anomalous magnetic moment of the muon and hyperfine structure and Zeeman effect in ground state muonium**
Xiang Fei;
Precision Electromagnetic Measurements, 1994. Digest., 1994 Conference on
27 June-1 July 1994 Page(s):245
Digital Object Identifier 10.1109/CPEM.1994.333170
[AbstractPlus](#) | Full Text: [PDF](#)(72 KB) IEEE CNF

1-25 | [26-41](#)



Welcome United States Patent and Trademark Office

Search Results

[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)

Results for "(magnetic moment <in>metadata) <and> (ratio<in>metadata)"

Your search matched 41 of 1194402 documents.

A maximum of 41 results are displayed, 25 to a page, sorted by Relevance in Descending order.

e-mail printer friendly

» Search Options

[View Session History](#)[New Search](#)

Modify Search

(magnetic moment <in>metadata) <and> (ratio<in>metadata)

☐ Check to search only within this results setDisplay Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

Select Article Information


[1-25](#) | [26-41](#)

- ☐ **26. The coil design of the superconducting MRI magnet**
Fujita, M.;
Magnetics, IEEE Transactions on
Volume 24, Issue 6, Nov 1988 Page(s):2907 - 2909
Digital Object Identifier 10.1109/20.92284
[AbstractPlus](#) | Full Text: [PDF](#)(196 KB) IEEE JNL
- ☐ **27. Magnetization process and coercivity of sputtered Co/Pt multilayered films**
Honda, S.; Tanimoto, H.; Kusuda, T.;
Magnetics, IEEE Transactions on
Volume 26, Issue 5, Sep 1990 Page(s):2730 - 2732
Digital Object Identifier 10.1109/20.104853
[AbstractPlus](#) | Full Text: [PDF](#)(352 KB) IEEE JNL
- ☐ **28. Optically pumped ^3He NMR and the Bohr magneton**
Flowers, J.L.; Franks, P.W.; Petley, B.W.;
Instrumentation and Measurement, IEEE Transactions on
Volume 44, Issue 2, Apr 1995 Page(s):572 - 574
Digital Object Identifier 10.1109/19.377910
[AbstractPlus](#) | Full Text: [PDF](#)(260 KB) IEEE JNL
- ☐ **29. Radiative and multiphonon relaxation of the mid-IR transitions of Pr^{3+} in LaCl_3**
Shaw, L.B.; Bowman, S.R.; Feldman, B.J.; Ganem, J.;
Quantum Electronics, IEEE Journal of
Volume 32, Issue 12, Dec. 1996 Page(s):2166 - 2172
Digital Object Identifier 10.1109/3.544764
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(588 KB) IEEE JNL
- ☐ **30. Soft magnetic properties and microstructures of FeRhN high moment thin films**
Jongill Hong; Kyusik Sin; Lee Nguyentran; Wang, S.X.;
Magnetics, IEEE Transactions on
Volume 33, Issue 5, Part 1, Sept. 1997 Page(s):2845 - 2847
Digital Object Identifier 10.1109/20.617751
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(452 KB) IEEE JNL
- ☐ **31. Quantitative characterization of sputter-process-induced nano-voids and porous film state in magnetic thin films**
Chuan Gao; Malmhall, R.; Ga-Lane Chen;
Magnetics, IEEE Transactions on
Volume 33, Issue 5, Part 1, Sept. 1997 Page(s):3013 - 3015
Digital Object Identifier 10.1109/20.617828

[AbstractPlus](#) | [References](#) | Full Text: [PDF\(348 KB\)](#) IEEE JNL

- ☐ **32. NiZn ferrite thin films prepared by Facing Target Sputtering**
Zhenghong Qian; Geng Wang; Sivertsen, J.M.; Judy, J.H.;
Magnetics, IEEE Transactions on
Volume 33, Issue 5, Part 2, Sept. 1997 Page(s):3748 - 3750
Digital Object Identifier 10.1109/20.619559
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(408 KB\)](#) IEEE JNL
- ☐ **33. Influence of orientation ratio on reverse erase-edge noise and track-edge dipole distribution**
Bennett, W.R.; Bing Zhang; Richter, H.J.;
Magnetics, IEEE Transactions on
Volume 34, Issue 3, May 1998 Page(s):743 - 749
Digital Object Identifier 10.1109/20.668080
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(476 KB\)](#) IEEE JNL
- ☐ **34. Status of the BNL muon (g-2) experiment**
Prigl, R.; Brown, H.N.; Bunce, G.; Carey, R.M.; Cushman, P.; Danby, G.T.; Debevec, P.T.; Deng, H.; Deninger, W.; Dhawan, S.K.; Druzhinin, V.P.; Duong, L.; Earle, W.; Efstathiadis, E.; Farley, F.J.M.; Fedotovitch, G.V.; Giron, S.; Gray, F.; Grosse Perdekamp, M.; Grossmann, A.; Haeberlen, U.; Hare, M.; Hazen, E.S.; Hertzog, D.W.; Hughes, V.W.; Iwasaki, M.; Jungmann, K.; Kawai, D.; Kawamura, M.; Khazin, B.I.; Kindem, J.; Krienen, F.; Kronkvist, I.; Larsen, R.; Lee, Y.Y.; Liu, W.; Logashenko, I.; McNabb, R.; Meng, W.; Mi, J.-L.; Miller, D.; Miller, J.P.; Morse, W.M.; Neumayer, P.; Onderwater, C.J.G.; Orlov, Y.; Pai, C.; Polly, C.; Pretz, J.; zu Putlitz, G.; Redin, S.I.; Rind, O.; Roberts, B.L.; Ryskulov, N.; Sanders, R.; Sedykh, S.; Semertzidis, Y.K.; Serednyakov, S.; Shatunov, Yu.M.; Solodov, E.; Sossong, M.; Steinmetz, A.; Sulak, L.R.; Tanaka, M.; Timmermans, C.; Trofimov, A.; Urner, D.; Warburton, D.; Winn, D.; Yamamoto, A.; Zimmerman, D.;
Instrumentation and Measurement, IEEE Transactions on
Volume 48, Issue 2, April 1999 Page(s):182 - 185
Digital Object Identifier 10.1109/19.769558
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(104 KB\)](#) IEEE JNL
- ☐ **35. Ultimate signal-to-noise-ratio of surface and body antennas for magnetic resonance imaging**
Schnell, W.; Renz, W.; Vester, M.; Ermert, H.;
Antennas and Propagation, IEEE Transactions on
Volume 48, Issue 3, March 2000 Page(s):418 - 428
Digital Object Identifier 10.1109/8.841903
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(380 KB\)](#) IEEE JNL
- ☐ **36. Interface magnetic properties of epitaxial Fe-InAs heterostructures**
Xu, Y.B.; Tselepi, M.; Wu, J.; Wang, S.; Bland, J.A.C.; Huttel, Y.; van der Laan, G.;
Magnetics, IEEE Transactions on
Volume 38, Issue 5, Part 1, Sept. 2002 Page(s):2652 - 2654
Digital Object Identifier 10.1109/TMAG.2002.801981
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(227 KB\)](#) IEEE JNL
- ☐ **37. Design and performance of TEM horn antenna with low-frequency compensation**
Xiaolong Liu; Gang Wang; Wenbing Wang;
Environmental Electromagnetics, 2003. CEEM 2003. Proceedings. Asia-Pacific Conference on 4-7 Nov. 2003 Page(s):306 - 309
Digital Object Identifier 10.1109/CEEM.2003.1282332
[AbstractPlus](#) | Full Text: [PDF\(1648 KB\)](#) IEEE CNF
- ☐ **38. A tunneling magnetoresistance sensor overlaid with a longitudinal bias stack in a read region**
Tsann Lin; Mauri, D.; Ty Chen; Wolfman, J.;
Magnetics Conference, 2002. INTERMAG Europe 2002. Digest of Technical Papers. 2002 IEEE International
28 April-2 May 2002 Page(s):CA5
[AbstractPlus](#) | Full Text: [PDF\(230 KB\)](#) IEEE CNF

- ☐ 39. **Measurement of proton gyromagnetic ratio in low field method [of atom magnetic resonance]**
Kim, C.G.; Shifrin, V.; Park, P.G.; Yu, K.M.; Kim, K-T.; Woo, B.C.; Ryu, K.S.; Kim, C.S.; Lee, S.K.;
Precision Electromagnetic Measurements Digest, 1996 Conference on
17-21 June 1996 Page(s):622 - 623
Digital Object Identifier 10.1109/CPEM.1996.547380
[AbstractPlus](#) | Full Text: [PDF](#)(152 KB) IEEE CNF
- ☐ 40. **Experimental determination of the gyromagnetic ratio of the helium-4 atoms in terms of that of the helium-3 nuclei**
Shifrin, V.Y.; Park, P.G.; Kim, C.C.; Khorev, V.N.; Choi, C.H.;
Precision Electromagnetic Measurements Digest, 1996 Conference on
17-21 June 1996 Page(s):620 - 621
Digital Object Identifier 10.1109/CPEM.1996.547379
[AbstractPlus](#) | Full Text: [PDF](#)(112 KB) IEEE CNF
- ☐ 41. **RF sensor of a novel NMR apparatus [for petrophysical evaluation]**
Sezginer, A.; Griffin, D.D.; Kleinberg, R.L.; Fukuhara, M.; Dudley, D.G.;
Antennas and Propagation Society International Symposium, 1992. AP-S. 1992 Digest. Held in
Conjunction with: URSI Radio Science Meeting and Nuclear EMP Meeting., IEEE
18-25 July 1992 Page(s):900 - 903 vol.2
Digital Object Identifier 10.1109/APS.1992.221806
[AbstractPlus](#) | Full Text: [PDF](#)(100 KB) IEEE CNF

 1-25 | 26-41